



Stormwater Phase II Final Rule

Construction Site Runoff Control Minimum Control Measure

Stormwater Phase II Final Rule Fact Sheet Series

Overview

1.0 – Stormwater Phase II Final Rule: An Overview

Small MS4 Program

2.0 – Small MS4 Stormwater Program Overview

2.1 – Who's Covered? Designation and Waivers of Regulated Small MS4s

2.2 – Urbanized Areas: Definition and Description

Minimum Control Measures

2.3 – Public Education and Outreach

2.4 – Public Participation/ Involvement

2.5 – Illicit Discharge Detection and Elimination

2.6 – Construction Site Runoff Control

2.7 – Post-Construction Runoff Control

2.8 – Pollution Prevention/Good Housekeeping

2.9 – Permitting and Reporting: The Process and Requirements

2.10 – Federal and State-Operated MS4s: Program Implementation

Construction Program

3.0 – Construction Program Overview

3.1 – Construction Rainfall Erosivity Waiver

Industrial "No Exposure"

4.0 – Conditional No Exposure Exclusion for Industrial Activity

This fact sheet profiles the Construction Site Runoff Control minimum control measure, one of six measures that the operator of a Phase II regulated small municipal separate storm sewer system (MS4) is required to include in its stormwater management program to meet the conditions of its National Pollutant Discharge Elimination System (NPDES) permit. This fact sheet outlines the Phase II Final Rule requirements and offers some general guidance on how to satisfy them. It is important to keep in mind that the small MS4 operator has a great deal of flexibility in choosing exactly how to satisfy the minimum control measure requirements.

Why Is The Control of Construction Site Runoff Necessary?

Polluted stormwater runoff from construction sites often flows to MS4s and ultimately is discharged into local rivers and streams. Of the pollutants listed in Table 1, sediment is usually the main pollutant of concern. According to the 2000 National Water Quality Inventory, States and Tribes report that sedimentation is one of the most widespread pollutants affecting assessed rivers and streams, second only to pathogens (bacteria). Sedimentation impairs 84,503 river and stream miles (12% of the assessed river and stream miles and 31% of the impaired river and stream miles). Sources of sedimentation include agriculture, urban runoff, construction, and forestry. Sediment runoff rates from construction sites, however, are typically 10 to 20 times greater than those of agricultural lands, and 1,000 to 2,000 times greater than those of forest lands. During a short period of time, construction sites can contribute more sediment to streams than can be deposited naturally during several decades. The resulting siltation, and the contribution of other pollutants from construction sites, can cause physical, chemical, and biological harm to our nation's waters. For example, excess sediment can quickly fill rivers and lakes, requiring dredging and destroying aquatic habitats.

Table 1

Pollutants Commonly Discharged From Construction Sites
Sediment
Solid and sanitary wastes
Phosphorous (fertilizer)
Nitrogen (fertilizer)
Pesticides
Oil and grease
Concrete truck washout
Construction chemicals
Construction debris

What Is Required?

The Phase II Final Rule requires an operator of a regulated small MS4 to develop, implement, and enforce a program to reduce pollutants in stormwater runoff to their MS4 from construction activities that result in a land disturbance of greater than or equal to one acre. The small MS4 operator is required to:

- Have an ordinance or other regulatory mechanism requiring the implementation of proper erosion and sediment controls, and controls for other wastes, on applicable construction sites;
- Have procedures for site plan review of construction plans that consider potential water quality impacts;

- Have procedures for site inspection and enforcement of control measures;
- Have sanctions to ensure compliance (established in the ordinance or other regulatory mechanism);
- Establish procedures for the receipt and consideration of information submitted by the public; and
- Determine the appropriate best management practices (BMPs) and measurable goals for this minimum control measure. Suggested BMPs (i.e., the program actions/activities) and measurable goals are presented below.

What Are Some Guidelines for Developing and Implementing This Measure?

Further explanation and guidance for each component of a regulated small MS4's construction program is provided below.

Regulatory Mechanism

Through the development of an ordinance or other regulatory mechanism, the small MS4 operator must establish a construction program that controls polluted runoff from construction sites with a land disturbance of greater than or equal to one acre. Because there may be limitations on regulatory legal authority, the small MS4 operator is required to satisfy this minimum control measure only to the maximum extent practicable and allowable under State, Tribal, or local law.

Site Plan Review

The small MS4 operator must include in its construction program requirements for the implementation of appropriate BMPs on construction sites to control erosion and sediment and other waste at the site. To determine if a construction site is in compliance with such provisions, the small MS4 operator should review the site plans submitted by the construction site operator before ground is broken.

Site plan review aids in compliance and enforcement efforts since it alerts the small MS4 operator early in the process to the planned use or non-use of proper BMPs and provides a way to track new construction activities. The tracking of sites is useful not only for the small MS4 operator's recordkeeping and reporting purposes, which are required under their NPDES stormwater permit (see Fact Sheet 2.9), but also for members of the public interested in ensuring that the sites are in compliance.

Inspections and Penalties

Once construction commences, BMPs should be in place and the small MS4 operator's enforcement activities should begin. To ensure that the BMPs are properly installed, the small MS4 operator is required to develop procedures for site inspection and enforcement of control measures to deter infractions. Procedures could include steps to identify priority sites for inspection and enforcement based on the nature and extent of the construction activity, topography, and the characteristics of soils and receiving water quality. Inspections give the MS4 operator an opportunity to provide additional guidance and education, issue warnings, or assess penalties. In early 2002, EPA's Office of Compliance established a national workgroup to address issues related to the construction industry. The workgroup has developed a construction industry compliance assistance Web site as a tool for builders and developers (www.cicacenter.org). Inspectors can use the Web site to find plain language explanations of the major environmental laws affecting the construction industry as well as guidance that can be distributed developers and construction site operators.

To conserve staff resources, one possible option for small MS4 operators is to have inspections performed by the same inspector that visits the sites to check compliance with health and safety building codes.

Information Submitted by the Public

A final requirement of the small MS4 program for construction activity is the development of procedures for the receipt and consideration of public inquiries, concerns, and information submitted regarding local construction activities. This provision is intended to further reinforce the public participation component of the regulated small MS4 stormwater program (see Fact Sheet 2.4) and to recognize the crucial role that the public can play in identifying instances of noncompliance.

The small MS4 operator is required only to *consider* the information submitted, and may not need to follow-up and respond to every complaint or concern. Although some form of enforcement action or reply is not required, the small MS4 operator is required to demonstrate acknowledgment and consideration of the information submitted. A simple tracking process in which submitted public information, both written and verbal, is recorded and then given to the construction site inspector for possible follow-up will suffice.

What Are Appropriate Measurable Goals?

Measurable goals, which are required for each minimum control measure, are intended to gauge permit compliance and program effectiveness. The measurable goals, as well as the BMPs, should reflect the needs and characteristics of the operator and the area served by its small MS4. Furthermore, they should be chosen using an integrated approach that fully addresses the requirements and intent of the minimum control measure.

EPA has developed a Measurable Goals Guidance for Phase II MS4s that is designed to help program managers comply with the requirement to develop measurable goals. The guidance presents an approach for MS4 operators to develop measurable goals as part of their stormwater management plan. For example, an MS4 program goal might be to educate at least 80 percent of all construction site operators and contractors about proper selection, installation, inspection, and maintenance of BMPs by the end of the permit term, which will help to ensure compliance with erosion and sediment control requirements. This goal could be tracked by documenting attendance at local, State, or Federal training programs. Attendance can be encouraged by decreasing permitting fees for those contractors who have been trained and provide proof of attendance when applying for permits.

Are Construction Sites Covered Under the NPDES Stormwater Program?

Yes. On March 10, 2003, Phase II NPDES regulations came into effect that extended coverage to construction sites that disturb one to five acres in size, including smaller sites that are part of a larger common plan of development or sale (see Fact Sheet 3.0 for information on the Phase II construction program). Sites disturbing five acres or more were regulated previously. Most states have been authorized to implement the NPDES stormwater program and have issued, or are developing state-specific construction general permits. EPA remains the permitting authority in a few states, territories, and on most land in Indian Country, however. For construction (and other land disturbing activities) in areas where EPA is the permitting authority, operators must meet the requirements of the EPA Construction General Permit (CGP). Permitting authority information can be found in Appendix B of the CGP. CGP permit requirements include the submission of a Notice of Intent and the development of a stormwater pollution prevention plan (SWPPP). The SWPPP must include a site description and measures and controls to prevent or minimize pollutants in stormwater discharges.

Even though all construction sites that disturb more than one acre are covered by national NPDES regulations, the construction site runoff control minimum measure for the small MS4 program is needed to induce more localized site regulation and enforcement efforts, and to enable operators of regulated small MS4s to more effectively control construction site discharges into their MS4s.

To aid operators of regulated construction sites in their efforts to comply with both local requirements and their NPDES permit, the Phase II Final Rule includes a provision that allows the NPDES permitting authority to reference a “qualifying State, Tribal or local program” in the NPDES general permit for construction. This means that if a construction site is located in an area covered by a qualifying local program, then the construction site operator’s compliance with the local program constitutes compliance with their NPDES permit. A regulated small MS4’s stormwater program for construction could be a “qualifying program” if the MS4 operator requires a SWPPP, in addition to the requirements summarized in this fact sheet.

The ability to reference other programs in the NPDES permit is intended to reduce confusion between overlapping and similar local and NPDES permitting authority requirements, while still providing for both local and national regulatory coverage of the construction site. The provision allowing NPDES permitting authorities to reference other programs has no impact on, or direct relation to, the small MS4 operator’s responsibilities under the construction site runoff control minimum measure profiled here.

Is a Small MS4 Required to Regulate Construction Sites that the Permitting Authority has Waived from the NPDES Construction Program?

No. If the NPDES permitting authority waives requirements for stormwater discharges associated with small construction activity (see 40 CFR § 122.26(b)(15)(i)), the small MS4 operator is not required to develop, implement, and/or enforce a program to reduce pollutant discharges from such construction sites.

For Additional Information

Contacts

- ☞ U.S. EPA Office of Wastewater Management
<http://www.epa.gov/npdes/stormwater>
Phone: 202-564-9545
- ☞ Your NPDES Permitting Authority. Most States and Territories are authorized to administer the NPDES Program, except the following, for which EPA is the permitting authority:
- | | |
|----------------------|--------------------------|
| Alaska | Guam |
| District of Columbia | Johnston Atoll |
| Idaho | Midway and Wake Islands |
| Massachusetts | Northern Mariana Islands |
| New Hampshire | Puerto Rico |
| New Mexico | Trust Territories |
| American Samoa | |
- ☞ A list of names and telephone numbers for each EPA Region and State is located at <http://www.epa.gov/npdes/stormwater> (click on “Contacts”).

Reference Documents

- ☞ EPA’s Stormwater Web Site
<http://www.epa.gov/npdes/stormwater>
- Stormwater Phase II Final Rule Fact Sheet Series
 - Stormwater Phase II Final Rule (64 *FR* 68722)
 - National Menu of Best Management Practices for Stormwater Phase II
 - Measurable Goals Guidance for Phase II Small MS4s
 - Stormwater Case Studies
 - And many others
 - EPA Construction General Permit and Fact Sheet
www.epa.gov/npdes/stormwater/cgp
 - EPA Stormwater Management for Construction Activities and Best Management Practices: Developing Pollution Prevention Plans Guidance
- ☞ Construction Industry Compliance Assistance Center. <http://www.cicacenter.org/>